

Test Report No.: SDHG1306004010FT Date: Jul.03, 2013 Page 1 of 3

KAIPING HUI YANG METAL FURNITURE CO., LTD HELONG ROAD, $2^{\rm ND}$ INDUSTRIAL PARK, SHUIKOU TOWN, KAIPING CITY

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description : OFFICE CHAIR

Supplier Item No. : DC-32

Sample Receiving Date : Jun.24, 2013 Sample Resubmission Date : Jul.02, 2013

Test Performing Date : Jun.24, 2013 to Jul.03, 2013

Test Result Summary

Test(s) Requested	Result(s)	Comments	
Clause 6.4.1; 6.4.2; 7; 8.4.1; 8.4.2 of ANSI/BIFMA X5.1-2011	PASS	/	
For further details, please refer to the following page(s)			

Signed for and on behalf of SGS-CSTC Co., Ltd.

Jack Yao

Approved signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions

ticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



Test Report No.: SDHG1306004010FT Date: Jul.03, 2013 Page 2 of 3

Test Conducted: Clause 6.4.1; 6.4.2; 7; 8.4.1; 8.4.2 of ANSI/BIFMA X5.1 -2011

Test Items	Test Methods & Requirements	Test Results
Back Strength Test - Static - Type II & III - Functional Load Clause 6.4.1	No loss of serviceability when 150 lb (667 N) is applied for 1 min. applied to 90° from back at 16 in above the seat. If the back is less than 17.8 ln, the load is applied at the top of the back.	PASS
Back Strength Test - Static - Type II & III - Proof Load 6.4.2	No sudden and major change in the structural integrity (loss of serviceability is acceptable) when 1112N (250lbs.) is applied for 1 min. Applied 90° to the back at 16in. above the seat.	PASS
Base Test – Static Clause 7	No sudden and major change in the structural integrity under 11,120N (2500lbs.) compressions for 1 min. The weight is then removed and reapplied for 1 min. The center column may not touch the test platform during load applications.	PASS
Drop Test – Dynamic - Functional Load Clause 8.4.1	No loss of serviceability when 102kg (225lbs.) weight free falls from 6in. height to the center of the seat.	PASS
Drop Test Dynamic - Proof Load Clause 8.4.2	No sudden and major change in the structural integrity (loss of serviceability is acceptable) when 136kg (300lbs.) weight free falls from 6in. height to the center of the seat.	PASS

Sample information:

Overall dimensions:	490mm L x 545 mm W x 895~1010mm H
Weight	9.85kg

Photo Appendix






This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions



Test Report No.: SDHG1306004010FT Date: Jul.03, 2013 Page 3 of 3





End of Report

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions